

# Transact Campus/CashNet Hosted Payment Setup

## Setting up the Payment Page

Details you will have to provide to OPS-COM support

Setting	Details
merchant	The merchant code we will be submitting items against. This is the Merchant Code on the clients system.
item code	They need to set up an item and give us the code. The item will need to be allowed to change the value. See below for the screen. These codes need to match exactly what the client has configured or the transactions will fail.

## Payment Page

Details OPS-COM will give to clients

Found in Store Settings

Setting	Value
Sign-out & Complete payment	<a href="https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?a=r">https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?a=r</a>
Sign-out & Incomplete	<a href="https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?a=f">https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?a=f</a>
Pass information to calling system	Append Data using GET

# Found in Notifications

Setting	Value
Successful & Failed Transactions	<a href="https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?cb=TO-BE-DETERMINED">https://hostedpayments.parkadmin.com/hook/cashnet/CLIENTS-UNIQUE-HOSTED-ID/?cb=TO-BE-DETERMINED</a>
Select format for HTTP content	Name Value Format (POST)

## Store Settings

Under Store Settings you will need to configure the following settings based on the URLs supplied by OPS-COM.

Enter the URL to return to when user signs out.  
Be sure to include http:// or https://.  
Leave blank to default to the store home page.

`https://hostedpayments.dev.parkadmin.com/hook/cashnet/RANDOM-UNIQUE-ID-VALUE/?a=r`

Enter the URL to return to when user signs out  
without completing the payment.  
Be sure to include http:// or https://.  
Leave blank to default to the store home page.

`https://hostedpayments.dev.parkadmin.com/hook/cashnet/RANDOM-UNIQUE-ID-VALUE/?a=f`

Do you want to  
pass information back to the calling system  
by appending data to the signout URL?

- ☐ Don't append data to the signout URL.
- ☒ Append data and redirect using the HTTP 'get' method.
- ☐ Append data and redirect using the HTTP 'post' method.

# Configure CashNet "HTTP Notifications" Section


Go to the "HTTP Notifications" configuration with CashNet:

## HTTP Notifications

If you would like HTTP notifications, enter the URL next to each category. If you leave the field blank you will not receive notifications for that category.

New outbound connections from [CASHNet.com](https://CASHNet.com) will not work until they are allowed through the CASHNet firewall.

Please contact CASHNet Client Support if you need to enable a new connection.



for failed transactions

for successful transactions

Select format for HTTP content


☐ Name Value Format (GET)

☐ XML Format (GET)

☒ Name Value Format (POST)


## Setting Item codes

On the item code itself, we need this set the following:



Main New Charges Open Items Term & References Attributes Quantity Sub Items

### New Charges



Display for New Charges ☒ ?

Default New Charge Amount  ?

Allow Amount to be Changed ☒ ?

Revision #3

Created 14 May 2024 08:23:49

Updated 3 July 2025 08:10:25 by Laurie McIntosh