


Login Sources (SSO)

Understanding Login Sources

A "login source" is just the way a user signs into the system. For example, a user can log in directly through OPS-COM with their username and password—this would be the "OPSCOM" login source. Other login sources, like SAML or LDAP, allow users to log in through an external system instead.

This setup gives you control over how users access OPS-COM and allows you to offer multiple login options for convenience and flexibility.

You can add or change login sources by going to the Admin Options under the Users section.



Default Login Source

OPS-COM is the default login source. This means that users will log in with an OPS-COM username and password on the standard login screen.

content header to be shown on certain pages.

Welcome to Tomahawk

Username or Email Address

Password

[Forgot your username or password?](#)

Login

Login With SAML


Create Account

Lookup your Ticket

ing for EVENT RISK MANAGEMENT or RESIDENCE MOVE-OUT forms? L
plete the form.

If you disable this default login source, then only other login sources, like SAML, will work.

Content header to be shown on certain pages.



Adding Login Sources

To add a new login source, click the “Add Login Source” button on the top right of the page.

Important - OPS-COM can support a system where some users require SSO and some do not, there can be multiple login sources. The source name is up to the Identity Provider, except for OPSCOM.

Login Sources					Add Login Source	
Name	Active	Type	Code	Total Users		
Saml2 Directory	Active ▾	SAML 2.0	saml2	3		
OPSCOM	Active ▾	OPSCOM	OPSCOM	50		

- **Red** fields are required to click save.
- **Yellow** fields are required to work but still allow empty or invalid values to be saved. Yellow fields can also indicate that a change has been made.

Login Source: Saml 2.0
[Back](#)

There are missing or incorrect settings preventing this login source from functioning properly.

Settings

Name

The Name field is required.

Login Source

The Code field is required.
Login Source coincides with the login_source value used in the [User Push API](#). The value can be anything other than the reserved word OPSCOM.

This login source can be associated to users. Changing it can prevent those users from logging in.



Unique ID Field

The Unique ID Field field is required.
SAML identity providers can differ so please enter the field you wish OPSCOM to refer to for the unique identifier

Important - The Login Source - Code field is what the user profile will match against when adding users to the new login source. However, only one login source code can be activated at a time.

Managing Login Sources

Once you add login sources, you can manage them by editing or deleting them using the buttons next to each source.

Login Sources					Add Login Source
Name	Active	Type	Code	Total Users	
Saml2 Directory	<div>Active</div>	SAML 2.0	saml2	3	<div></div>
OPSCOM	<div>Active</div>	OPSCOM	OPSCOM	50	

Archiving a Login Source: Archiving a login source removes it from the login options users can see, and users connected to this login source will no longer be able to log in this way.