

OperationsCommander - <https://opscom.wiki>

Pull API: Permit Stats

The OPSCOM Controller provides a simple JSON based API to integrate with. Clients use this API to gather stats on permits pushed into OPSCOM.

API access is a paid feature and must be granted by OPSCOM. Email your Account Executive to negotiate access.

Making API Requests

Make sure you set the HTTP Content-Type header to be application/json.

Raw Request:

```
POST /api/OC-TOMA/v1/permits/stats HTTP/1.1
Host: controller.operationscommander.io
Accept: application/json
Content-Type: application/json
Cache-Control: no-cache
```

```
{
  "apiToken": "YOUR-API-TOKEN",
  "zones": "NOT-REQUIRED--LIST-OF-ZONES"
}
```

JavaScript Request

```
var request = new XMLHttpRequest();
```

```
request.open( 'POST' , 'https://controller.operationscommander.io/api/OC-TOMA/v1/permits/stats' );
```

```
request.setRequestHeader( 'Content-Type' , 'application/json' );
request.setRequestHeader( 'Accept' , 'application/json' );
```

```

request.onreadystatechange = function () {
  if (this.readyState === 4) {
    console.log('Status:', this.status);
    console.log('Headers:', this.getAllResponseHeaders());
    console.log('Body:', this.responseText);
  }
};

```

```

var body = {
  "apiToken" : "YOUR-API-TOKEN" ,
  "zones" : "Lot 01,Lot 02"
}
request.send(JSON.stringify(body));

```

Request Object Attributes

A	T	L	P	D
t	y	i	o	e
t	p	m	s	s
r	e	i	s	c
i	t	i	r	
b	s	b	i	
u		l	p	
t		e	t	
e		N	i	
		a	o	
		m	n	
		e		
		s		

a	S	5	a	(
p	t	0	p	R
i	r	-	i	e
T	i	c	T	q
o	n	h	o	u
k	g	a	k	i
e	r	e	r	r
n	a	n	e	d
	c	t)	
	e	r	Y	o
	r	a	o	u
	l	p	r	s
	h	a	u	p
	n	u	p	p
	m	e	i	e
	r	i	d	A
	c	i	P	I
	n	c	T	o
	l	u	k	e
	d	i	n	.
	g	d		
	a	s		
	h	e		
	s			

z	S	L	z	(
o	t	i	o	N
n	r	s	n	o
e	i	t	e	t
s	n	e	s	R
	g	d		e
		z		q
		o		u
		n		i
		e		r
		s		e
		m		d
		a)
		t		
		c		C
		h		o
		z		m
		o		m
		n		a
		e		d
		n		e
		a		l
		m		i
		e		m
		s		i
		i		t
		n		e
		d		d
		a		l
		t		i
		a		s
		b		t
		a		o
		s		f
		e		z
				o
				n
				e
				s
				o

Successful Response

The response will be a json object. The same reference id will be returned.

Content-Type: application/json

```
{
  "data" : [
    {
      "type" : "standard" ,
      "zone" : "zone1" ,
      "total" : "4"
    },
    {
      "type" : "temp" ,
      "zone" : "zone1" ,
      "total" : "35"
    },
  ],
  :
  :
}
```

Take Command of Your Parking and Security - <https://OperationsCommander.com>

Revision #3

Created 9 October 2024 08:17:44

Updated 19 August 2025 10:50:51