


# Login Sources (SSO)

## Working with Login Sources

Login Sources define where the user comes from. For example, if the user authenticates with a username and password stored in OPS-COM then OPSCOM is the source. They could also come from SAML, LDAP etc.

You can add login sources in the **Admin Options** under **Users**.



By default, you will have the **OPSCOM** login source. You can see that this will give users the option of entering their username and password.

content header to be shown on certain pages.

# Welcome to Tomahawk

Username or Email Address

Password

[Forgot your username or password?](#)

Login


Login With SAML

Create Account

Lookup your Ticket





ing for EVENT RISK MANAGEMENT or RESIDENCE MOVE-OUT forms? L  
plete the form.

If we were to disable this option then we would only be left with our SAML login source.





## Adding Login Sources

To add login sources we click the **Add Login Source** button at the top right corner of the page.



### Login Sources

Add Login Source

Name	Active	Type	Code	Total Users	
Saml2 Directory	Active ▾	SAML 2.0	saml2	3	 
OPSCOM	Active ▾	OPSCOM	OPSCOM	50	

Any required fields will be displayed in red letting you know they must be completed before you can save.

# Login Source: Saml 2.0

Back

There are missing or incorrect settings preventing this login source from functioning properly.


Settings

**Name**

The Name field is required.

**Login Source**

The Code field is required.  
Login Source coincides with the login\_source value used in the [User Push API](#). The value can be anything other than the reserved word OPSCOM.

 This login source can be associated to users. Changing it can prevent those users from logging in.

**Unique ID Field**

The Unique ID Field field is required.  
SAML identity providers can differ so please enter the field you wish OPSCOM to refer to for the unique identifier.

## Important



The fields have multiple states which are reflected by the color they are highlighted with.

1. Red fields are required to click save.
2. Yellow fields are required to work but still allow empty or invalid values to be saved.
3. Yellow fields can also indicate that a change has been made.

The **Code** field is what the user profile will match against when adding users to the new login source. However, only one login source code can be activated at a time.

## Managing Login Sources

We can manage our login sources by either editing or deleting them using the two buttons to the right of each source.

Login Sources					<a href="#">Add Login Source</a>
Name	Active	Type	Code	Total Users	
Saml2 Directory	<a href="#">Active</a>	SAML 2.0	saml2	3	 
OPSCOM	<a href="#">Active</a>	OPSCOM	OPSCOM	50	

Archiving a login source means that it will no longer display on the user side and any users associated with this source will be removed from logging in this way.